

Vetter Bullet

Owner's Manual


Customer Service:

If you have any questions about installing the Vetter Bullet, write or call Vetter Products, Inc., Customer Service Department, Rantoul, IL 61866, (217)893-9300.


Preparation

NOTE: Wiping off or cleaning the back of the aluminum bands before mounting will help keep the bands in place when installed.

Trim the foam tape on the large aluminum band to allow clearance for the small aluminum bands. See illustration below.



Assemble the fairing, windshield and aluminum bands as shown at right. Do not over tighten the windshield screws as over tightening will distort the aluminum bands.



Vetter

Hardware Mounting

- 1** Assemble the rod ends and jam nuts onto rods.
- 2** Fasten rods to the assembled fairing.
- 3** Attach the forward stays to fairing using the black screws.
- 4** Install the fork brackets as high up on the forks as possible using the hose clamps.

IMPORTANT:

HOLD THE FAIRING UP TO THE BIKE TO DETERMINE IF THE RODS WILL BE BETTER PLACED IN FRONT OR BEHIND THE TURN SIGNALS.

NOTE: The illustration at right shows BEHIND turnsignal placement. Refer to the illustration on the next page for rod placement in FRONT of the turn-signals.


- 5** Position fairing and assemble the short bolts through intersection of forward stays and fork brackets. **HAND TIGHTEN** until fairing remains in position unassisted.

Check fairing position and adjust if desired.

- 6** Slide tube clamps around the rods and clamp to the forward stay and fork bracket using the long bolts.

Turn handlebars lock to lock and check rod and forward stay clearance. Adjust brackets if needed. Tighten all fasteners.

NOTE: In extreme cases, the rod or forward stay may have to be trimmed.



FRONT PLACEMENT ONLY:

- 5** Position fairing and assemble the short bolts through intersection of forward stays and fork brackets. **HAND TIGHTEN** until fairing remains in position unassisted.

Check fairing position and adjust if desired.

- 6** Slide tube clamps around the rods and clamp to the forward stay and fork bracket using the long bolts.


Turn the handlebars lock to lock and check rod and forward stay clearance. Adjust brackets if needed. Tighten all fasteners.

NOTE: In extreme cases, the rod or forward stay may have to be trimmed.

CLEANING INSTRUCTIONS:

Wash the windshield using a soft flannel cloth and a mild solution of soap and warm water. Rinse well. **DO NOT** clean with abrasive cleaners, ethyl or methyl alcohol, gasoline or solvent as these materials can cause deterioration of acrylic plastic.

Dry using a soft flannel cloth or chamois.



Limited Warranty

This Warranty applies to products manufactured or distributed by Vetter Products, Inc., Rantoul, IL 61866, and sold by Vetter Products, Inc. and its authorized dealers within the United States, Puerto Rico, and the Virgin Islands. It is given to the first retail purchaser only and is not transferable to subsequent owners.

WARRANTY OBLIGATION: Vetter Products, Inc. warrants that it, or one of its authorized dealers, will repair, or at its option, replace any part proven to be defective in factory material or workmanship within six (6) months (unlimited mileage) of the date of purchase. Parts repaired or replaced under this warranty are warranted only during the balance of the original warranty period. THIS WARRANTY DOES NOT INCLUDE ANY LABOR CHARGES FOR TROUBLESHOOTING, REMOVAL OR INSTALLATION. THIS WARRANTY APPLIES ONLY IF THE OWNERS REGISTRATION/WARRANTY CARD (included with all major serialized products) IS RETURNED, OR PROOF OF PURCHASE IS SUPPLIED TO US UPON REQUEST.

Exclusions from Coverage: 1. Any repairs or replacements of parts necessitated by misuse, negligence, fire, accident, damage caused by exposure to gasoline, brake fluid, harmful solvents and cleaners, paints or repair material, use of unauthorized accessories, faulty installation, installation upon motorcycles or vehicles not listed in Vetter Products, Inc. retail and dealer catalog sheets or improper or unreasonable maintenance are not covered. 2. This Warranty does not cover "Totes" rainboots or Jensen Speakers.

DISCLAIMER OF CONSEQUENTIAL DAMAGES AND LIMITATIONS OF IMPLIED WARRANTIES: TO THE EXTENT THE LAW PERMITS, VETTER PRODUCTS, INC. SHALL NOT BE LIABLE UNDER ANY CIRCUMSTANCES FOR LOSS OF USE OF THE PRODUCT, CONSEQUENTIAL OR INCIDENTAL DAMAGES. ANY IMPLIED WARRANTY ARISING UNDER LAW, INCLUDING THOSE OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE IS LIMITED TO THE DURATION OF THIS LIMITED WARRANTY.

IMPORTANT: Some states do not allow limitations on how long an implied warranty lasts and/or limitations or exclusions of consequential or incidental damages, so the above limitations may not apply to you.